COMMAND CENTERS AND CONTROLS



COMMAND CENTERS AND CONTROLS



THE COUNTER-FLOW DRYING ADVANTAGE. Higher quality grain, higher test weights, more savings. The Shivvers Performance System uses a highly efficient counter-flow drying process that works by forcing heated drying air up through a perforated drying floor inside the bin and into a drying zone bed of grain ranging from 3 to 8 Heated air continues to move upward through the grain – counter to the grain flow, which is moving down – warming grain and removing moisture as it rises. Saturated air is then exhausted out of the top of As grain reaches the pre-set transfer moisture level, Shivvers tapered sweep augers remove an even layer of grain from the bin floor, allowing new layers of wet grain to continually move down into the drying zone. The counter-flow process requires lower temperatures and less fuel than other systems. A more uniform drying process results in higher-quality grain with less stress damage and higher test weights COUNTER-FLOW DRYING

SET-IT-AND-FORGET-IT DRYING TECHNOLOGY.

Shivvers offers three state-of-the-art Command Center options, including the Premier®, CompuDry TS, and CompuDry® Command Centers. Each delivers fully automated – unattended – control of grain drying operations from one location. Unrivaled computer precision combined with the unique Counter-Flow operation allow operators to dry a variety of crops, including corn, wheat, canola, soybeans, rye and more.





HERE'S HOW IT WORKS

Shivvers Command Centers allow the operator to simply set their desired drying parameters and get back to harvest. The Command Center then activates the Shivvers fan and heater, warming air in the plenum created by the raised grain floor. Using a series of sensors placed throughout the drying system, the Command Center maintains constant communication with the heater throughout the drying process, making automatic adjustments to ensure grain is dried to match your pre-set drying specifications.

As grain reaches the target transfer moisture content, the Command Center automatically engages the continuous-flow grain removal process, transferring dried grain to storage. If sensors detect grain that has not yet reached preset transfer moisture content, grain is automatically suspended in the drying zone until conditions are met. If the Command Center detects a threat that overdrying may occur, it automatically adjusts plenum temperatures or activates the grain removal process, ensuring peace of mind that grain is properly dried.

AUTOMATIC. ACCURATE AND UNATTENDED

Easy to program and convenient to use, Shivvers Command Centers are designed to work around-the-clock – 24 hours a day, seven days a week – to deliver the best quality in every kernel you dry.

CHOOSE THE SETTINGS YOU WANT, THEN FOCUS
ON HARVEST WHILE YOUR COMMAND CENTER
DOES THE REST.

2 > COMMAND CENTERS AND CONTROLS > 3

CHOOSE FROM THREE AUTOMATED DRYER CONTROL OPTIONS.

FPREMIER® COMMAND CENTER



VOMPUDRY TS™ COMMAND CENTER

COMPUDRY PRECISION CONTROL WITH TOUCH SCREEN CAPABILITIES

With the success of the CompuDry & Premier Command Centers comes a new addition in innovation. Meet the CompuDry TS - or CompuDry Touch Screen. Combining the critical functionality of the CompuDry with the user-friendly touch screen control of the Premier, the CompuDry TS is designed for the farmer looking for maximum control at a value price.

Like the Premier, the CompuDry TS features an on-bin dashboard to view current and historical drying diognostics. Digital technology provides touch screen control, including on-screen guided startup and up to 9 pre-programmed grain profiles. The CompuDry TS also features optional add-on capabilities to monitor Static Pressure, Link Remote Management, On-Site Weather Information, & StorageLink.



COMPUDRY COMMAND CENTER

ENJOY THE CONVENIENCE OF AUTOMATIC DRYER CONTROLS.

The CompuDry Command Center provides comprehensive management over your Shiwers system via analog controls. Featuring Shiwers set-it-and-forget-it technology, just set your desired drying specifications and get back to harvest — the CompuDry will do the rest.

Diagnostics can be viewed on a printed tape strip, while analog dials and switches allow for adjustments. When grain reaches your pre-set drying specifications, the CompuDry automatically engages continuous-flow operation and dried grain is moved to your desired storage location.

While Shivvers Link Remote Management functionality is not standard on CompuDry Command Centers, it can be equipped — allowing you to monitor drying conditions from anywhere.



COMMAND CENTER COMPARISON

Feature	Premier [®]	CompuDry TS™	CompuDry [®]
Controls	Touchscreen	Touchscreen	Analog
Diagnostics	On-Screen Dashboard & Digital Tape Strip	On-Screen Dashboard & Digital Tape Strip	Printed Tape Strip
Up to Three Fan/Heater Controls	✓	✓	/
Multi-Crop Drying Functionality	✓	✓ ·	✓
Set-It-and-Forget-It Drying Technology	~	✓ ·	✓
Automatic Overdry Prevention	/	✓ ·	/
Guided On-Screen Startup	✓	✓	
Weather Station Option	/	✓	
Link Remote Management Compatibility	Standard - Monitoring and Control	Optional* - Monitoring and Control	Optional* - Monitoring Only
Storable Grain Type Profiles	9	9	2
StorageLink Compatibility	✓	✓	
Digital Static Pressure Monitoring	Standard	Optional	

^{*} Denotes capabilities are available with upgrade option

4 > PREMIER COMMAND CENTER > 5

COMPUDRY COMMAND CENTER > 5

SHIVVERS LINK® REMOTE MANAGEMENT

YOUR ANYTIME, ANYWHERE REMOTE DRYER CONNECTION.



THREE LEVELS OF REMOTE MANAGEMENT CAPABILITIES

Link Remote Management functionality is available in three options and is broken down based on your model of Command Center. While Link Remote Management functionality comes standard on Premier Command Centers, the CompuDry TS can be retrofitted with Link to offer the same comprehensive remote monitoring & control functionality.

CompuDry Command Centers can be retrofitted with Link to provide remote monitoring only capabilities or upgraded with the Shivvers Convert TS package to unlock both remote monitoring & control functionality.

LINK COMPARISON

CompuDry+Link

Drying operation monitoring

Installation: Retrofits to CompuDry Command Centers

Features:

- Remotely monitor drying operation
- View ambient temperatures and relative humidity at bin site
- Automatic text alerts when alarms are triggered
- Access digital tape strip

Premier+Link & CompuDry TS+Link

Drying operation monitoring and control

Installation: Standard on Premier Command Centers. Upgrade option on CompuDry TS.

Features:

- Remotely monitor and control drying operation
- View ambient temperatures and relative humidity at bin site
- Automatic text alerts when alarms are triggered
- Access digital tape strip

Premier+StorageLink & CompuDry TS+StorageLink

Drying and storage operation monitoring and control

Installation: Upgrade option on Premier & CompuDry TS Command Centers

Features:

- Remotely monitor and control drying operation
- Remotely monitor and control storage operation
- View ambient temperatures and relative humidity at bin site
- Automatic text alerts when alarms are triggered
- Access digital tape strip

YSTORAGELINK: MAINTAIN QUALITY AND CONDITION OF STORED GRAIN.

Remote management meets your storage operation. StorageLink provides you with the convenience to remotely manage your stored grain operation from anywhere with an internet connected device.

Unusual changes in stored grain temperatures can be key indicators of factors leading to grain spoilage. The StorageLink System leverages temperature monitoring cables – strategically placed throughout your storage bins – to record grain temperatures across various zones within the bin. If a hot spot is detected, StorageLink automatically sends you a text message alert.

At any time, you can log in to your MyShivvers.com portal to remotely monitor stored grain temperatures and control your aeration system to: prevent grain spoilage the second a hot spot is detected, reduce operating costs by running fans only when needed, and prevent overdrying when timing is critical.

COMMAND CENTER UPGRADES

CONVERT TS COMMAND CENTER UPGRADE

For producers with a CompuDry looking for touchscreen functionality, Shivvers offers the Convert TS Command Center upgrade. By integrating with an existing CompuDry, the Convert TS upgrade provides the same touchscreen controls and features achieved with a CompuDry TS. The Convert TS also unlocks comprehensive remote monitoring and control capabilities when paired with a Link subscription, as well as, provides the ability for StorageLink connectivity.

NARROW COMMAND CENTER UPGRADE

Dryer control systems introduced prior to CompuDry can also be upgraded with the Narrow Command Center to match the CompuDry management system. Ask your dealer about the Convert TS and Narrow Command Center upgrades for your drying system.

6 ► LINK REMOTE MANAGEMENT AND DRYER CONTROL UPGRADES ► 7

SHIVVERS /


614 W. ENGLISH, CORYDON, IA 50060

PHONE: 641-872-1005

TOLL FREE: 800-245-9093

FAX: 641-872-1593

WWW.SHIVVERS.COM



VISIT WITH A SHIVVERS DEALER NEAR YOU

Ask your Shivvers dealer about the value and durability of a Shivvers Performance System on your farm. Dealers are factory-trained and knowledgeable on all components and how they can work for you.

VISIT WWW.SHIVVERS.COM TO FIND A SHIVVERS DEALER IN YOUR AREA.